

PART 1 - to be completed by the Responsible Authority

Health and Safety Service
Proposed controlled measures under the Licensing Act 2003

Name & Address of Premises: Corn Exchange - Ground Floor & Lower Ground Floor, Corn Exchange, Call Lane, Leeds, LS1 7BR,

Having considered the application under the Licensing Act 2003 for the above premises, the Health and Safety Service considers that the following measures are proportionate and necessary in order to promote the public safety licensing objective:

Measures proposed:

No	Potential Control Measures
	Public Safety 4 :- Fire/Electrical Safety
1	Electrical installations will be inspected on a periodic basis (at least every 3 years or at a frequency specified in writing) by a suitably qualified and competent person. If used, any temporary electrical wiring and distributions will also be inspected. Inspection records/certificates will be kept. These will be made available at the request of an authorised officer.
2	<p>One of the following protective measures shall be used for all socket-outlets which may be used for the connection for lighting, video or sound amplification equipment and display models:</p> <p>a) Each socket-outlet circuit shall be protected by a residual current device having a rated residual operating current not exceeding 30mA.</p> <p>or</p> <p>b) Each individual socket-outlet shall be protected by an integral residual current device having a rated residual operating current not exceeding 30mA.</p> <p>The current operation of all residual current devices shall be checked regularly by pressing the test button. If the device does not switch off the supply, an electrical contractor should be consulted. At the same time action should be taken to prohibit the use of socket outlets associated with a faulty residual current device.</p>
	Public Safety 8 :- First Aid
3	An appropriately qualified medical practitioner will be present throughout any sporting entertainment.

The Health and Safety Service is satisfied that the proposed measures are not adequately dealt with by other legislation.

By signing the declaration enclosed overleaf the applicant agrees to incorporate the proposed measures as conditions within the operating schedule for the said premises.

Upon the satisfactory completion of the declaration the health and safety service will provide notice to the licensing authority that our representation is withdrawn in accordance with schedule 10(a) of the Licensing Act 2003 (Hearings) Regulations 2005.

Signed: Stephen Brady

Dated: 27 August 2014

PART 2 – Agreement with Proposed Measures

to be completed by the applicant or applicant's representative

Consent for proposed controlled measures under the Licensing Act 2003

Name & Address of Premises: Corn Exchange - Ground Floor & Lower Ground Floor, Corn Exchange, Call Lane, Leeds, LS1 7BR,

~~I~~ We ... *Woods Wharf 2014 Limited*

confirm that ~~I am~~ / we are the ~~applicant~~ the applicants representative (delete as appropriate) for the premises as stated above.

In signing this document ~~I~~ we agree with the measures proposed by the Health and Safety Service, and we provide our consent for the licensing authority to incorporate the said measures into the operating schedule for the stated premises.

Signed: *Wood*

Dated: *27 August 2014*

Please return this document to:

Mr Steve Brady
Health and Safety Service
Leeds City Council
Millshaw Park Way
Leeds
LS11 0LS
Fax: 0113 247 6282
Email: steve.brady@leeds.gov.uk