

*Jane***White, Emma**

From: Byrne, Simon
Sent: 03 October 2014 07:13
To: Wood, Jane; Entertainment Licensing
Subject: Garforth Cricket & Social Club
Attachments: HS001.pdf

Hi Jane


PREM/03523/001


I've withdrawn the qualified objection for this premises on receipt (attached) of a signed part 2.

Many thanks & toodlepip

Simon

Simon Byrne
Environmental Health Officer / MCIEH / Grad IOSH
Health & Safety Inspector
Leeds City Council
Health & Safety Team
Millshaw Park Way
LS11 0LS
0113 395 0686





Leeds
CITY COUNCIL

Steven Turner
Garforth Cricket & Social Club
Church Lane
Garforth
Leeds
LS25 1HB

Health and Safety Service
Leeds City Council
Millshaw Park Way
Leeds
LS11 0LS

Contact: Simon Byrne
Tel: 0113 395 0686
Fax: 0113 247 6282
simon.byrne@leeds.gov.uk
Our reference: PREM/03523/001
24 September 2014

Dear Sir

Licensing Act 2003

Premises: Garforth Cricket And Social Club, Church Lane, Garforth, Leeds, LS25 1HB

Thank you for submitting your application for the above premises.

Health and safety services are of the opinion that your application contains insufficient information about how you intend to meet the licensing objective/s.

We therefore confirm that we are submitting a formal representation against your application on the grounds of public safety.

However, Health and Safety Services are of the opinion that the said objectives could be met should you be prepared to incorporate certain identified measures within your operating schedule.

Please find enclosed a document which at Part 1 contains the suggested measures which this authority considers are proportionate and appropriate to the nature of your application.

Should you be in **agreement** with the suggested measures then please signify this by completing and signing **Part 2** of the enclosed form and return the complete document to this office as soon as possible, but no later than 20 October 2014.

Upon receipt of your consent at Part 2, it will be taken that you signify your wishes for the licensing authority to amend your operating schedule to incorporate the proposed measures.

Alternatively should you **disagree** with the proposed measures, then please complete **Part 3** and again return the complete document to this office as soon as possible, but no later than the stated date.



PART 1 - to be completed by the Responsible Authority

**Health and Safety Service
Proposed controlled measures under the Licensing Act 2003**

Name & Address of Premises: Garforth Cricket And Social Club, Church Lane, Garforth, Leeds, LS25 1HB,

Having considered the application under the Licensing Act 2003 for the above premises, the Health and Safety Service considers that the following measures are proportionate and necessary in order to promote the public safety licensing objective:

Measures proposed:

No	Potential Control Measures
	Public Safety - General Premises
1.	Written records of all accidents and safety incidents involving members of the public will be kept. These will be made available at the request of an authorised officer.
2.	A suitably trained and competent person must ensure regular safety checks of the premises including decorative and functional fixtures, floor surfaces and equipment (including electrical appliances) to which the public may come into contact are undertaken. Records of these safety checks must be kept and made available for inspection by an authorised officer.
3.	Empty bottles and glasses will be collected regularly paying particular attention to balcony areas and raised levels.
	Public Safety - Electrical Safety
4.	Electrical installations will be inspected on a periodic basis (at least every 3 years or at a frequency specified in writing) by a suitably qualified and competent person. If used, any temporary electrical wiring and distributions will also be inspected. Inspection records/certificates will be kept. These will be made available at the request of an authorised officer.
5.	<p>One of the following protective measures shall be used for all socket-outlets which may be used for the connection for lighting, video or sound amplification equipment and display models:</p> <p>a) Each socket-outlet circuit shall be protected by a residual current device having a rated residual operating current not exceeding 30mA.</p> <p>or</p> <p>b) Each individual socket-outlet shall be protected by an integral residual current device having a rated residual operating current not exceeding 30mA.</p> <p>The current operation of all residual current devices shall be checked regularly by pressing the test button. If the device does not switch off the supply, an electrical contractor should be consulted. At the same time action should be taken to prohibit the use of socket outlets associated with a faulty residual current device.</p>
	Public Safety - General Premises
6.	Safety glass that is impact resistant should be used wherever possible in all areas where the public may come into contact with it. Where it is not used in public areas, glazing should be shielded to protect it from impact.
7.	A written spillage policy will be kept to ensure spillages are dealt with in a timely and safe manner
	Public Safety - Refreshments

Public Safety - First Aid	
8.	A suitably trained first aider or appointed person will be provided at all times when the premises are open.
9.	Adequate and appropriate first aid equipment and materials will be available on the premises.
Public Safety - Special Effects	
10.	Where strobes, lasers, smoke machines or any other special effects equipment may be used, a written health and safety policy covering all aspects of their use will be provided, and staff will be appropriately trained.
11.	No strobes, lasers, smoke machines or any other special effects, will be used at the premises unless there is a clearly displayed warning at the entrance to the premises that such equipment is in use.

The Health and Safety Service is satisfied that the proposed measures are not adequately dealt with by other legislation.

By signing the declaration enclosed overleaf the applicant agrees to incorporate the proposed measures as conditions within the operating schedule for the said premises.

Upon the satisfactory completion of the declaration the health and safety service will provide notice to the licensing authority that our representation is withdrawn in accordance with schedule 10(a) of the Licensing Act 2003 (Hearings) Regulations 2005.

Signed:

Diana Zil

Dated:

24-9-14

PART 2 – Agreement with Proposed Measures

to be completed by the applicant or applicant's representative

Consent for proposed controlled measures under the Licensing Act 2003

Name & Address of Premises: Garforth Cricket And Social Club, Church Lane, Garforth, Leeds, LS25 1HB,

I / We STEVEN TURNER

confirm that ~~I am / we are the applicant~~ / the applicants representative (delete as appropriate) for the premises as stated above.

In signing this document I / we agree with the measures proposed by the Health and Safety Service, and we provide our consent for the licensing authority to incorporate the said measures into the operating schedule for the stated premises.

Signed: Stev Turner

Dated: 2/10/2014

Please return this document to:

**Health and Safety Service
Leeds City Council
Millshaw Park Way
Leeds
LS11 0LS
Fax:**