

Premises Licence

Part A Schedule 12 Licensing Act 2003

Part 1 – Premises Details

Postal address of premises, or if none, ordnance survey map reference or description

Alchemist, Yorkshire House, Greek Street, Leeds, LS1 5RU

Licensable activities authorised by this licence

Sale by retail of alcohol, Provision of late night refreshment, Exhibition of a film, Performance of live music, Performance of recorded music, Performance of dance, Entertainment similar to live music, recorded music or dance,

Times the licence authorises the carrying out of licensable activities

Sale by retail of alcohol

Monday to Thursday	10:00 - 02:00
Friday & Saturday	10:00 - 04:00
Sunday	11:00 - 02:00

Provision of late night refreshment

Monday to Thursday	23:00 - 02:00
Friday & Saturday	23:00 - 04:00
Sunday	23:00 - 02:00

Location of activity: Indoors

Further details: Provision of hot food and hot drinks for consumption on the premises only at the managements discretion.

Exhibition of a film

Monday to Thursday	10:00 - 02:00
Friday & Saturday	10:00 - 04:00
Sunday	11:00 - 02:00

Location of activity: Indoors

Further details: Background entertainment on screens within the premises.

Performance of live music

Monday to Thursday	10:00 - 02:00
Friday & Saturday	10:00 - 04:00
Sunday	11:00 - 02:00

Location of activity: Indoors

Further details: Piano and other occasionally other music amplified at the managers discretion.

Performance of recorded music

Monday to Thursday 10:00 - 02:00
Friday & Saturday 10:00 - 04:00
Sunday 11:00 - 02:00

Location of activity: Indoors

Further details: Background music sometimes presented by a Disc Jockey amplified at the managers discretion

Performance of dance

Monday to Saturday 11:00 - 02:00
Sunday 12:00 - 00:30

Location of activity: Indoors

Entertainment similar to live music, recorded music or dance

Monday to Saturday 11:00 - 02:00
Sunday 12:00 - 00:30

Location of activity: Indoors

Opening hours of the premises

Monday to Thursday 10:00 - 02:30
Friday & Saturday 10:00 - 04:30
Sunday 11:00 - 02:30

Alcohol is sold for consumption on and off the premises

Part 2

Name, (registered) address, telephone number and email (where relevant) of holder of premises licence

The Alchemist Bar & Restaurant Limited
98 King Street
Knutsford
WA16 6HQ

Daytime Contact Telephone Number: 0161 838 7888

Registered number of holder, for example company number, charity number (where applicable)

Registered business number: 06957833

Name, address and telephone number of designated premises supervisor where the premises licence authorises for the supply of alcohol

Robert William Doyle



Personal licence number and issuing authority of personal licence held by designated premises supervisor where the premises licence authorises for the supply of alcohol

Personal licence number: LEEDS/PERL/07175/13

Licensing authority: Leeds City Council

Licence issued under the authority of Leeds City Council



Mrs Victoria Radford
Licensing Officer
Entertainment Licensing
Licensing and Registration

Annex 1 – Mandatory Conditions

1. Only individuals licensed by the Security Industry Authority may be used at the premises to guard against:-
 - a. unauthorised access or occupation (e.g. through door supervision), or
 - b. outbreaks of disorder, or
 - c. damage
2. No supply of alcohol may be made under this licence
 - a. At a time when there is no designated premises supervisor in respect of the premises licence, or
 - b. At a time when the designated premises supervisor does not hold a personal licence or his personal licence is suspended.
3. Every supply of alcohol under the premises licence must be made or authorised by a person who holds a personal licence.
4. The admission of children under the age of 18 to film exhibitions permitted under the terms of this licence shall be restricted in accordance with any recommendations made
 - a. By the British Board of Film Classification (BBFC,) Where the film has been classified by the Board, or
 - b. By the Licensing Authority where no classification certificate has been granted by the BBFC, or,
 - c. where the licensing authority has notified the licence holder that section 20 (3) (b) (74 (3) (b) for clubs) of the Licensing Act 2003 applies to the film.
5. The responsible person must ensure that staff on relevant premises do not carry out, arrange or participate in any irresponsible promotions in relation to the premises.

In this paragraph, an irresponsible promotion means any one or more of the following activities, or substantially similar activities, carried on for the purpose of encouraging the sale or supply of alcohol for consumption on the premises -

- a. games or other activities which require or encourage, or are designed to require or encourage individuals to -
 - i. drink a quantity of alcohol within a time limit (other than to drink alcohol sold or supplied on the premises before the cessation of the period in which the responsible person is authorised to sell or supply alcohol), or
 - ii. drink as much alcohol as possible (whether within a time limit or otherwise);
- b. provision of unlimited or unspecified quantities of alcohol free or for a fixed or discounted fee other public or to a group defined by a particular characteristic in a manner which carries a significant risk of undermining a licensing objective;
- c. provision of free or discounted alcohol or any other thing as a prize to encourage or reward the purchase and consumption of alcohol over a period of 24 hours or less in a manner which carries a significant risk of undermining a licensing objective;
- d. selling or supplying alcohol in association with promotional posters or flyers on, or in the vicinity of, the premises which can reasonably be considered to condone, encourage or glamorize anti-social behaviour or to refer to the effects of drunkenness in any favourable manner.

- e. dispensing alcohol directly by one person into the mouth of another (other than where that other person is unable to drink without assistance by reason of disability).
6. The responsible person must ensure that free potable water is provided on request to customers where it is reasonably available.
7. The premises licence holder or club premises certificate holder must ensure that an age verification policy is adopted in respect of the premises in relation to the sale or supply of alcohol.

The designated premises supervisor in relation to the premises licence must ensure that the supply of alcohol at the premises is carried on in accordance with the age verification policy.

The policy must require individuals who appear to the responsible person to be under 18 years of age (or such older age as may be specified in the policy) to produce on request, before being served alcohol, identification bearing their photograph, date of birth and either -

- a. a holographic mark, or
 - b. an ultraviolet feature.
8. The responsible person must ensure that -
- a. where any of the following alcoholic drinks is sold or supplied for consumption on the premises (other than alcoholic drinks sold or supplied having been made up in advance ready for sale or supply in a securely closed container) it is available to customers in the following measures:
 - i. beer or cider: ½ pint;
 - ii. gin, rum, vodka or whisky: 25 ml or 35 ml; and
 - iii. still wine in a glass: 125 ml;
 - b. these measures are displayed in a menu; price list or other printed material which is available to customers on the premises; and
 - c. where a customer does not in relation to a sale of alcohol specify the quantity of alcohol to be sold, the customer is made aware that these measures are available.

Embedded restrictions

9. On New Year's Eve, from the end of permitted hours on New Year's Eve to the start of permitted hours on the following day (or, if there are no permitted hours on the following day, midnight on 31st December).
10. Throughout all parts of these conditions the phrase 'Licensing Authority' means the Leeds City Council.
11.
 - a) Unless the hours for which the Licence is valid are expressly stated on the Licence there shall be no performance of any nature before 8.00 am or after 11.00pm on any day of the week including Saturdays, or after 10.30pm Sundays, without the prior consent of the Licensing Authority.
 - b) There shall be no dancing or performance including dancing on any day appointed by Public Authority as a day of public mourning.
12. The Chief Constable of the West Yorkshire Police, any Police Officer, the Chief Fire Officer, any authorised officer in uniform of the West Yorkshire Fire Authority, any authorised Environmental Health Officer and their equipment and any other person authorised by the Licensing Authority

shall have free access to all parts of the licensed premises at all reasonable times for the purpose of supervising the observance and enforcement of these conditions.

13. The Licensee shall be responsible for carrying out the provisions of these Conditions of the Licence. The Licensee shall take due precautions for the safety of the public, employees and performers, shall retain control over all areas of the licensed premises and shall ensure that nothing shall take place on the premises which:
 - a) is likely to cause disorder or breach of the peace;
 - b) is likely to be grossly offensive to any person on the premises;
 - c) involves drugs misuse; or
 - d) involves any other unlawful activity.
14. The Licensee, or some other responsible person not less than eighteen years of age *and nominated in writing for the purpose, shall be in charge of, and remain upon the licensed premises whenever they are used for licensed purposes. They shall not be engaged in any duties which prevent them from exercising general supervision and control.
15. Any written nomination of management shall be served on the Licensing Authority and a copy of the same shall also be retained on the premises and kept available for immediate inspection by any Official of the Licensing, Police or Fire Authority.
16. The Licensee shall provide notice of his or her intention to provide any form of entertainment which includes lap dancing, pole dancing, table dancing, striptease or any form of nudity or semi nudity on the part of the performers or the staff employed on the premises. Any entertainment of this nature will be subject to additional standard special conditions of the licence.
17. The person in charge shall be conversant with all licence conditions.
18. Any venue which accommodates external promoters shall maintain a register or a diary system to record all such events. Each entry should contain the specific date of the event, nature/title of the event and the name, address and contact telephone number of the promoter specific to that event. The register must be available for immediate inspection on request by any Official of the Licensing Authority or it's authorised agents.
19. The maximum number of persons allowed in the stated areas whilst the Licence is in force is:
400
20. The Licensee shall not permit persons in excess of the number specified on the licence to enter or occupy any portion of the licensed premises.
21. The Licensee shall ensure that staff are familiar with the maximum capacity of the premises.
22. The Licensee shall display notice containing details as to the maximum capacity figure in a prominent position upon entry to the premises. Where the capacity is divided into separate floors/areas within the premises notice of the appropriate capacity for each floor/area shall also be prominently displayed upon entry to the relevant floor/area.
23. The licensee shall at any time whilst the premises are in use be aware of the precise number of patrons on the premises. Where the licence covers different floors/areas, the licensee shall be aware of the number of patrons in each area at any given time and ensure that the numbers do not exceed those as stipulated on the licence. This information shall immediately be supplied on request to any Official of the Licensing, Police or Fire Authority.
24. Appropriately trained staff shall be provided to oversee general safety within the premises, and these shall be provided to a minimum number of one member of staff per 250 occupancy or part thereof, in accordance with the occupancy figure as stated on the Public Entertainment Licence.

25. Furthermore, in addition to the above the licensee shall ensure that an appropriately trained member of staff is designated to each emergency exit door to assist in the event of an emergency evacuation.
26. All members of staff shall be instructed in the safety precautions to be observed in the premises as far as those precautions relate to their duties and to the action to be taken by them in the event of fire or emergency.
27. All exits, passages, landings and stairways shall be kept free from obstruction at all times when the premises are used for licensed purposes.
28. A clear unobstructed route leading from each fire exit to a place of safety outside the premises shall be provided and maintained available for use at all times.
29. Every door in the building for use by members of the public going from the auditorium to the outside of the building shall open outwards, unless the Licensing Authority shall have been satisfied that this is impracticable to the circumstances of the particular case, and shall be capable of being opened easily and immediately from the inside, without the use of a key, when required.
30. Where, with the prior consent of the Licensing Authority, doors or gates across exits open inwards, they shall be fastened fully opened so as not to form an obstruction.
31. If security is required for outward opening fire exit doors, then they should be secured with panic bolt or panic latch type fastenings only to the satisfaction of the Licensing and Fire Authority. A conspicuous 'PUSH BAR TO OPEN' sign should be provided immediately above the push bars.
32. Any removable fastenings permitted by the Licensing or Fire Authority for securing exit doors when the public are not on the premises shall be removed before the public are admitted to the premises and shall not be replaced until the public have vacated the building.
33. Illuminated fire exit sign boxes lit by both primary and emergency lighting should be provided above all exits. Illuminated boxes incorporating graphic fire exit symbols, e.g. man moving through open door, should have white symbols on a green background. The size of the exit boxes should be appropriate for the maximum viewing distances involved.
34. Doors and openings other than exits to or from parts of the licensed premises to which the public are admitted shall be provided with notices indicating their uses or shall be marked "Private", and wherever practicable shall be kept secured. Where exit doors are fitted with automatic bolts they shall be clearly indicated with the words "PUSH BAR TO OPEN".
35. Where curtains are provided across an exit doorway they shall be divided at the centre and shall not trail the floor.
36. Except with the consent of the Licensing Authority, bars, wire guards or the like shall not be fitted to windows, nor shall the windows be otherwise obstructed in a manner likely to render them unavailable for the purposes of rescue in case of emergency.
37. The closing of collapsible gates or shutters across exit openings shall be prohibited whilst the public are in the premises.
38. The licensed premises shall be provided with fire appliances suitable to the fire risk in the premises and to the satisfaction of the Fire Authority.
39. Fire appliances shall be affixed to wall brackets to the satisfaction of the Fire Authority, and available for instant use at all times.

40. Fire extinguishers should be regularly examined, tested and maintained in accordance with the current British Standard to the satisfaction of the Fire Authority.
41. The licensee and employees should be made fully conversant with the location of fire appliances, method of operation and safe use, and with the action to be taken in case of fire.
42. A manually operated electrical fire alarm system shall be provided to the satisfaction of the Fire Authority. The alarm should be clearly audible in all parts of the building.
43. The Fire alarm system should be tested on a weekly basis in accordance with the current British Standard and to the satisfaction of the Fire Authority. The result of all tests with the exception of the daily inspection should be recorded in a suitable log book provided for the purpose. The log book should be available for immediate inspection upon request of any official of the Licensing or Fire Authority.
44. The licensee and all employees should be made familiar with the method of giving warning of fire and with the escape route available from each part of the premises to which they resort or in which they may work.
45. All fire doors shall be maintained self-closing and shall not be secured in an open position.
46. A system for automatically cutting off the sound system which is linked to the sounding of the fire alarm shall be provided.
47. All scenery, drapes, curtains and decorations within the licensed premises shall be made of such material or shall be treated and maintained so as to be flame retardant in accordance with the current British Standard and to the satisfaction of the Fire Authority.
48. Plastic decorations are not acceptable.
49. Filling materials used in furnishings should be restricted to combustion modified foam or other materials having at least the same standard of fire performance. Upholstered furniture and floor coverings should comply with the current British Standard to the satisfaction of the Fire Authority.
50. Flues from kitchens and serveries and over grills and all ventilating shafts shall be maintained in a clean condition.
51. Smoking shall be strictly prohibited within the stage risk area and in dressing rooms. Notices bearing the words "NO SMOKING" in red letters on a white background shall be conspicuously displayed in these areas.
52. Where any open fireplaces, high temperature heating appliances or naked flames are used they shall be adequately protected by a suitable guard.
53. In the event of the heating being by a central heating system the heating apparatus shall be placed in a separate room from the auditorium. The door between this room and the auditorium should be self-closing and fire-resistant to a one hour standard.
54. Explosives, inflammable liquids or high inflammable articles shall not be brought into or used within any portion of the licensed premises.
55. No exhibition, demonstration or display of pyrotechnics or displays involving the use of fire shall be given in the licensed premises without the prior consent of the Licensing and Fire Authority. At least fourteen days written notice of application must be supplied in such circumstances.
56. No exhibition, demonstration or display of laser equipment shall be given by any person in the licensed premises and no laser equipment shall be used by such person in the said premises unless the Director of the Leeds Environment Department has been given not less than 14 days previous written notice.

57. At entrances to venues where strobe lighting is in use warnings should be posted that stroboscopic lighting is in use and the possibility that susceptible people may be affected.
58. Flicker rates from stroboscopic lighting should be set at 4 or less flickers per second. This frequency shall apply to the combined flicker rates on any group of lights which can be directly gazed at.
59. In all parts of the building to which the public are admitted and in all passages, corridors, ramps and stairways to which the public have access and which lead from the auditorium to the outside of the building, there shall provided adequate illumination by general lighting to the satisfaction of the Licensing Authority.
60. In addition to the general lighting, adequate illumination to enable the public to see their way out of the building, without the assistance of the general lighting, shall be provided in the auditorium and all other parts of the building to which the public are admitted and in all passages, corridors, ramps and stairways, which lead from the auditorium to the outside of the building. This lighting shall be referred to as the safety lighting.
61. The safety lighting shall be provided from a source other than that of the general lighting.
62. All notices and exit indications shall be illuminated by both general and safety lighting.
63. The safety lighting shall be kept on at all times when the public are on the premises except in those parts of the building which are lit equally well by daylight.
64. Any battery supplying safety lighting shall be fully charged before the public are admitted to the premises and shall be of such capacity and so maintained as to be capable of supplying at normal voltage, the full load of the safety lighting during the whole time that the public are on the premises.
65. If there is a failure of the general lighting and the lighting is not restored within one hour, the public in the licensed premises shall be instructed to leave the building.
66. If there is a failure of the safety lighting, all parts of the building required to be illuminated by the safety lighting shall be immediately illuminated by the general lighting and the public in the licensed premises shall be instructed to leave the building forthwith.
67. Electrical apparatus and equipment within the building shall not be used for such purpose, or in such a manner, or when it is such a condition, as to cause danger of electric shock, fire or explosion.
68. Where gas is used for the lighting all gas burners within reach of the public shall be protected by glass or wire gloves and all gas taps shall be guarded in such a manner as to prevent unauthorised interference.
69. Electrical installation (including the fire alarm and emergency lighting systems) shall be in the charge of a competent electrician whose name is published on the Roll of National Inspection Council for Electrical Installation Contracting, or a member of Electrical Contractors' Association.
70. One of the following protective measures shall be used for all socket-outlets which may be used for the connection for lighting, video or sound amplification equipment and display models:
 - a) Each socket-outlet circuit shall be protected by a residual current device having a rated residual operating current not exceeding 30mA.
 - b) Each individual socket-outlet shall be protected by an integral residual current device having a rated residual operating current not exceeding 30mA.

71. The current operation of all residual current devices shall be checked regularly by pressing the test button. If the device does not switch off the supply, an electrical contractor should be consulted. At the same time action should be taken to prohibit the use of socket outlets associated with a faulty residual current device.
72. The Licensee shall ensure that the electrical installation to the whole of the premises carries a recent safety certificate issued by a competent electrician whose name is published on the Roll of National Inspection Council for Electrical Installation Contracting, or a member of the Electrical Contractors' Association.
73. The inspection shall include ALL electrical appliances and fire alarm and emergency lighting systems.
74. The licensee shall ensure that the electrical installation is checked on an annual basis and on renewal of the Public Entertainment Licence shall furnish the Licensing Authority with a copy of an Electrical Safety Certificate valid for the period of the licence.
75. Suitable and sufficient sanitary accommodation must be provided and maintained to the satisfaction of the Chief Environmental Health Officer.
76. The premises shall at all times be maintained in a clean, sanitary and safe condition and shall be open during the continuance of this licence to an inspection by the Licensing Authority or their authorised agents.
77. Any seating in the licensed premises shall be so arranged as to allow free access to all exits there from.
78. For a closely seated audience chairs shall be either securely fixed to the floor or alternatively shall be battened securely together in units of not less than four seats. Adequate gangways, not less than 42" (1100mm) wide, unless otherwise approved by the Licensing Authority, shall be provided. The gangways shall lead directly to each exit door and shall be kept free from obstruction. No seat shall be more than twelve feet (4.0m) from any gangway.
79. Seating in invalid chairs other than engine driven chairs will be permitted subject to any condition imposed by the Licensing and Fire Authority.
80. Means of access, egress and emergency egress shall be provided and maintained in accordance with any recommendations of the Licensing and Fire Authority.
81. Alterations or additions, whether permanent or temporary, to the structure, the lighting, electrical heating, ventilating, mechanical, or installations, or to the seating, gangways or other arrangements in building in which the licensed premises are situated shall not be made except with the consent of the Licensing Authority and in accordance with any conditions of such consent.
82. The Licensee shall maintain a first aid box on the premises in accordance with the Health and Safety (First Aid) Regulations 1981 and make sure that:
 - it is accessible at all times
 - items are replaced as they are used
83. Any person who appears unwell, including those affected by drugs or alcohol, must be seen by a trained first aider, who shall:
 - give first aid
 - if necessary, seek medical assistance
84. The licensee shall maintain an Incident Report Register within which staff must record any incident which has occurred on the premises.

85. The Incident Report Register must be retained on the premises for a period of one year, taken from the date of the last entry, and include the following:
- a) consecutively numbered pages;
 - b) the date and time of incident;
 - c) the nature of incident;
 - d) the full name/s of staff involved including the registration number of any door staff, and to whom the incident was reported, including the names and numbers of any police officers who attended the scene of the incident and details of any witness/es;
 - e) Any notes relative to the incident.
86. Incident Report Registers shall be produced for immediate inspection on request by any Official of the Licensing or Police Authority.
87. The premises must be effectively ventilated when the public are present. Any mechanical ventilation system must be properly maintained.
88. Drinking water provision must be clearly available, free of charge, at all times whilst the Entertainment Licence is operative.
89. This facility must be kept in a clean condition.
90. No exhibition, demonstration or performance of hypnotism shall be given on any person in the premises except with the express consent of the Licensing Authority and subject to such conditions as the Licensing Authority may attach to such consent. Any notification of intention to stage a hypnotist should be made in writing providing at least fourteen days notice.
91. The Licensee shall ensure that no nuisance is caused by noise or vibration emanating from the licensed premises resulting from the use of this Licence. The Licensee shall provide urgent attention to any reports of noise nuisance, and act upon direction of the Licensing Authority.
92. Licensees are reminded that unauthorised flyposting is an offence under the Town & Country Planning Act 1990, as amended, Section 224.
93. In the case of an audience consisting of persons under 16 years of age, the minimum number of staff shall increase to a ratio of one per 100 occupancy.
94. At any licensed function no child shall be permitted to occupy any seat in the front row of the balcony, gallery or tier unless accompanied by, or in the charge of a person who appears to have attained the age of 16 years.
95. The Licensee shall ensure that any persons employed on the premises to work in the capacity as a door supervisor, hold current registration with the SIA and comply with all relevant rules and regulations laid down by that body.
96. Door Staff Daily Record Register
- The Licensee shall maintain a Daily Record Register which is to be completed on a daily basis by the door staff when they commence and finish duty.
97. The Daily Record Register must be retained on the premises for a period of one year, taken from the date of the last entry, and include the following:
- a) consecutively number pages;
 - b) the registration number and full name of each registered person on duty;

- c) the date and time that he/she commenced that period of duty with a signed acknowledgement by that person;
 - d) the time at which he/she finished duty with a signed acknowledgement by that person.
98. Daily Record Registers shall be produced for immediate inspection on request by any official of the SIA, Police or Licensing Authority.
99. Licence holders must have a written search policy for those entering the premises.
All members of staff must be acquainted with this policy.
100. Sufficient number of staff of both sexes shall be on duty to undertake any searches of the public.
101. Clear and visible notices should be displayed to those entering the premises detailing the establishments search policy. These signs should state that the police will be informed if anyone is found in possession of controlled substances or weapons.
102. Secure receptacles, to the standard as required by the West Yorkshire Police, must be provided in a restricted part of the building for staff to deposit drugs and weapons.
103. Any seizure of controlled substances and weapons must be recorded in the Incident Report Register and reported to the police at the earliest possible time.
104. The licensee shall ensure that drinks glasses and any other glass receptacles are prevented from being taken off the premises accepting off-sales and their legitimate sale.
105. A suitable CCTV system operated in accordance with guidelines from the West Yorkshire Police shall be provided.
106. Any exemption to this condition must be agreed by the West Yorkshire Police and Licensing Authority.
107. All venues located within the Millgarth Division of the West Yorkshire Police which have the benefit of a Special Hours Certificate shall be a member of the Leeds Nightwatch Safer City Initiative. Each venue will operate with the benefit of a radio supplied through the L.N.S.C.I and will adhere to the operating rules and guidelines laid down within the scheme.

Annex 2 – Conditions consistent with the operating schedule

The prevention of crime and disorder

108. To implement a dispersal policy agreed with West Yorkshire Police. (Sale of alcohol to halt in accordance with the application).
109. To participate in a radio or other communications system in accordance with guidance issued by West Yorkshire Police and the service providers instructions. (Currently Nitenet, already in place).
110. Adopt an appropriate proof of age scheme in conjunction with West Yorkshire Police and Trading Standards.
111. The existing CCTV system must be maintained operational on the premises whilst all licensable activities are being carried out.
112. The Licence Holder/Designated Premises Supervisor must become a member of a licensee's representative body, one whose principal aims are to reduce crime, disorder and anti-social behaviour in partnership with other agencies.

113. Record full details of the circumstances surrounding any seizure of drugs or articles taken as a consequence of a criminal offence or other incident, retain the items where they may be required as evidence and inform the Police as to their existence.
114. Operating hours in the licence will be utilised as often as possible so as not to undermine the Police impound for the district or the crime prevention objective.

Public Safety

115. Regular safety checks of the premises including decorative and functional fixtures, floor surfaces and equipment (including electrical appliances) to which the public may come into contact, must be undertaken. Records of these safety checks must be kept and made available for inspection by an authorised officer.
116. Empty bottles and glasses will be collected regularly paying particular attention to balcony areas and raised levels.
117. If used, any temporary electrical wiring and distributions will be inspected by a suitably qualified and competent person before they are out into use. An inspection record/certificate will be retained for inspection by an authorised officer.
118. Safety glass that is impact resistant or shielded to protect it from impact will be used in all areas where the public may come into contact with it.
119. All floor surfaces will be suitably slip resistant, kept in good condition and free of obstructions to prevent slips, trips and falls.
120. No strobes, lasers, smoke machines or any other special effects equipment will be used at the premises unless there is a clearly displayed warning at the entrance to the premises that such equipment is in use.

The prevention of public nuisance

121. Ensure that no nuisance is caused by noise or vibration emanating from the premises.
122. Noise shall be inaudible at the nearest noise sensitive premises after 23:00 hours and when entertainment takes place on a regular basis at all times.
123. No bottles shall be placed in the external receptacle after 23:00 hours to minimise noise disturbance to adjoining properties.
124. Clear and legible notices shall be displayed at exits and other circulatory areas requesting patrons to leave the premises having regard to the needs of local residents, in particular emphasising the need to refrain from shouting, slamming car doors, sounding horns, loud use of stereos and anti-social behaviour. The activity of persons leaving the premises shall be monitored and they shall be reminded to leave the premises quietly where necessary.
125. Queues shall be restricted to cordoned areas to prevent them obstructing foot paths and spilling out onto roads, and to keep noise and obstructions away from residential property. Staff shall be trained to intercept and manage any incidents and sufficient staff shall be employed to properly manage queues to prevent noise and aggression.
126. A cooling down period with reduced music volume shall be operated before the premises close.
127. A facility shall be provided for customers to order taxis and telephone numbers for taxi firms shall be displayed in a prominent location. Where possible there should be a liaison with a local taxi firm to ensure a ready supply of transport and thereby reduce disturbance. To prevent disturbance a waiting area within the premises shall be provided.

Protection of children from harm

128. The premises normal policy is that persons under the age of 18 years will not be admitted to the premises. Persons under the age of 18 years will be admitted, but only if accompanied by a responsible adult who are responsible for those persons under 18 years that they are accompanying whilst in the premises. This normally applies to families and similar groups.

Annex 3 – Conditions attached after a hearing by the licensing authority

None

Annex 4 – Plans

The plans for these premises are as those submitted with the application. A copy of which is held by Leeds City Council licensing authority.