

Part 3 - Variation

Please tick as appropriate

Do you want the proposed variation to have effect as soon as possible? Yes
No

If not, from what date do you want the variation to take effect?

DD	MM	YYYY

Do you want the proposed variation to have effect in relation to the introduction of the late night levy?
(Please see guidance note 1) Yes No**Please describe briefly the nature of the proposed variation** (Please see guidance note 1)

The proposed variation is to extend the area for licensable activities to the first floor as shown on the plan submitted with the application.

To remove conditions 10 - 18, 25, 29 - 68, 73, 77 - 80, 89, 92, 104, 106, 107, 110, 112, 115 and 116 of the premises licence which are outdated and no longer relevant to the premises or are covered by the fire risk assessment.

To add the following condition to the premises licence which reads:

“Customers will only be able to gain entrance via the front door of the premises. The premises licence holder will adopt written policies and procedures on:

- a) Entry and egress to the premises (including monitoring of any capacity limit on each floor level);
- b) Evacuation of the premises;
- c) Monitoring of the number of people in the venue to ensure there are no breaches of the overall capacity;
- d) A member of security staff will be in attendance at all times the first floor area is open for licensable activities and he/she shall ensure that the capacity limit of the first floor is not exceeded; and
- e) Whenever the first floor area is open staff will monitor customers to ensure customer safety and well being.

The premises licence holder will ensure staff are trained on these measures, and all other matters relating to the safety of the public.”

If your proposed variation would mean that 5,000 or more people are expected to attend the premises at any one time, please state the number expected to attend:

N/A
