

**LTHT RENAL CENTRE - Haemodialysis Units - Current Capacity and Demand**
**(September 2009)**
**APPENDIX 1**

<b>Unit</b>	<b>No. of dialysis stations</b>	<b>Maximum capacity (2 sessions/day)</b>	<b>Current demand (09/2009)</b>	<b>Current utilisation/occupancy<sup>1</sup></b>	<b>Maximum capacity (3 sessions/day)</b>	<b>Projected demand (2013/14)</b>	<b>Comment</b>
<b>Beeston</b>	10	40	40	100%	60		
<b>Halifax</b>	10	40	40	100%	60		
<b>Huddersfield</b>	10	40	40	100%	60		
<b>Seacroft (B ward)</b>	10	40	40	100%	60		
<b>Dewsbury</b>	12	48	48	100%	72		
<b>Wakefield</b>	12	48	46	96%	72		
<b>Seacroft (R&amp;S ward)</b>	34	136	119	87.5%	204		+ 2 training rooms for home haemodialysis
<b>SJUH (Wards 55/53)</b>	23	92	83*	90.2%	138		Includes 5 isolation stations (ward 53) *Includes 28 patients on the twilight shift (ward 55)
<b>TOTALS</b>	<b>121</b>	<b>484</b>	<b>456</b>	<b>94%</b>	<b>726</b>	<b>See letter Q7</b>	

<sup>1</sup> Demand divided by capacity