

Digwa Cousins Solicitors
277 Roundhay Road
Harehills
Leeds
LS8 4HS

Health and safety service
Leeds City Council
Millshaw Park Way
Leeds
LS11 0LS

Contact: Ms Tania Shiffer
Tel: 0113 247 7780
Fax: 0113 247 6282
tania.shiffer@leeds.gov.uk
Our reference: PREM/03133/001
6 January 2012

Dear Sir or Madam


Licensing Act 2003

Premises: Safran Restaurant, 81 Kirkgate, Leeds, LS2 7DJ

Thank you for submitting your Client's application for the above premises.

www.leeds.gov.uk

general enquiries 0113
222 4444



Health and safety services are of the opinion that the application contains insufficient information about how they intend to meet the licensing objective/s.

We therefore confirm that we are submitting a formal representation against the application on the grounds of public safety.

However, health and safety services are of the opinion that the said objectives could be met should your Client be prepared to incorporate certain identified measures within the operating schedule.

Please find enclosed a document which at Part 1 contains the suggested measures which this authority considers are proportionate and appropriate to the nature of the application.

Should you be in **agreement** with the suggested measures then please signify this by completing and signing **Part 2** of the enclosed form and return the complete document to this office as soon as possible, but no later than 16 January 2012.

Upon receipt of your consent at Part 2, it will be taken that you signify your wishes for the licensing authority to amend your operating schedule to incorporate the proposed measures.

Alternatively should you **disagree** with the proposed measures, then please complete **Part 3** and again return the complete document to this office as soon as possible, but no later than the stated date.

PART 1 - to be completed by the Responsible Authority

Health and Safety Service

Proposed controlled measures under the Licensing Act 2003

Name & Address of Premises: Safran Restaurant, 81 Kirkgate, Leeds, LS2 7DJ,

Having considered the application under the Licensing Act 2003 for the above premises, the health and safety service considers that the following measures are proportionate and necessary in order to promote the public safety licensing objective. Measures proposed:

No	Potential Control Measures
	Public Safety 4 :- Fire/Electrical Safety
1	Electrical installations will be inspected on a periodic basis (at least every 3 years or at a frequency specified in writing) by a suitably qualified and competent person. If used, any temporary electrical wiring and distributions will also be inspected. Inspection records/certificates will be kept. These will be made available at the request of an authorised officer.
2	One of the following protective measures shall be used for all socket-outlets which may be used for the connection for lighting, video or sound amplification equipment and display models: a) Each socket-outlet circuit shall be protected by a residual current device having a rated residual operating current not exceeding 30mA. or b) Each individual socket-outlet shall be protected by an integral residual current device having a rated residual operating current not exceeding 30mA. The current operation of all residual current devices shall be checked regularly by pressing the test button. If the device does not switch off the supply, an electrical contractor should be consulted. At the same time action should be taken to prohibit the use of socket outlets associated with a faulty residual current device.
	Public Safety 6 :- General Housekeeping
3	A written spillage policy will be kept to ensure spillages are dealt with in a timely and safe manner
	Public Safety 8 :- First Aid
4	A suitably trained first aider or appointed person will be provided at all times when the premises are open.
5	Adequate and appropriate first aid equipment and materials will be available on the premises.

The health and safety service is satisfied that the proposed measures are not adequately dealt with by other legislation.

By signing the declaration enclosed overleaf the applicant agrees to incorporate the proposed measures as conditions within the operating schedule for the said premises.

Upon the satisfactory completion of the declaration the health and safety service will provide notice to the licensing authority that our representation is withdrawn in accordance with schedule 10(a) of the Licensing Act 2003 (Hearings) Regulations 2005.

Signed: pp

Tania Shiffer

Dated: 6/1/2012

PART 2 – Agreement with Proposed Measures

to be completed by the applicant or applicant's representative

Consent for proposed controlled measures under the Licensing Act 2003

Name & Address of Premises: Safran Restaurant, 81 Kirkgate, Leeds, LS2 7DJ,

I / We D. G. A. Cousins sole trader

confirm that I am / ~~we are the applicant~~ / the applicants representative (delete as appropriate) for the premises as stated above.

In signing this document I / we agree with the measures proposed by the health and safety service, and we provide our consent for the licensing authority to incorporate the said measures into the operating schedule for the stated premises.

Signed:



Dated:

Please return this document to:

**Ms Tania Shiffer
Health and safety service
Leeds City Council
Millshaw Park Way
Leeds
LS11 0LS
Fax: 0113 247 6282**