


Appendix D



Mr Gee Chan
New World Cafe
28 New Briggate
Leeds
LS1 6NU

Health and safety service
Leeds City Council
Millshaw Park Way
Leeds
LS11 0LS

Contact: Ms Tania Shiffer
Tel: 0113 247 7780
Fax: 0113 247 6282
tania.shiffer@leeds.gov.uk
Our reference: PREM/03225/001
2 August 2012

Dear Mr Chan

Licensing Act 2003


Premises: New World Cafe, 26 - 30 New Briggate, Leeds, LS1 6NU

Thank you for submitting your application for the above premises.

Health and safety services are of the opinion that your application contains insufficient information about how you intend to meet the licensing objective/s.

www.leeds.gov.uk

general enquiries 0113 222
4444



We therefore confirm that we are submitting a formal representation against your application on the grounds of public safety.

However, health and safety services are of the opinion that the said objectives could be met should you be prepared to incorporate certain identified measures within your operating schedule.

Please find enclosed a document which at Part 1 contains the suggested measures which this authority considers are proportionate and appropriate to the nature of your application.

Should you be in **agreement** with the suggested measures then please signify this by completing and signing **Part 2** of the enclosed form and return the complete document to this office as soon as possible, but no later than **29 August 2012**.

Upon receipt of your consent at Part 2, it will be taken that you signify your wishes for the licensing authority to amend your operating schedule to incorporate the proposed measures.

Alternatively should you **disagree** with the proposed measures, then please complete **Part 3** and again return the complete document to this office as soon as possible, but no later than the stated date.

PART 1 - to be completed by the Responsible Authority

**Health and Safety Service
Proposed controlled measures under the Licensing Act 2003**

Name & Address of Premises: New World Cafe, 26 - 30 New Briggate, Leeds, LS1 6NU,

Having considered the application under the Licensing Act 2003 for the above premises, the health and safety service considers that the following measures are proportionate and necessary in order to promote the public safety licensing objective:

Measures proposed:

No	Potential Control Measures
	Public Safety 3 :- Management Arrangements
1	Before opening to the public, checks will be undertaken to ensure all access to the premises are clear for emergency vehicles. Regular checks will be undertaken when the premises is open.
2	Written records of all accidents and safety incidents involving members of the public will be kept. These will be made available at the request of an authorised officer.
3	A suitably trained and competent person must ensure regular safety checks of the premises including decorative and functional fixtures, floor surfaces and equipment (including electrical appliances) to which the public may come into contact are undertaken. Records of these safety checks must be kept and made available for inspection by an authorised officer.
	Public Safety 4 :- Fire/Electrical Safety
4	Electrical installations will be inspected on a periodic basis (at least every 3 years or at a frequency specified in writing) by a suitably qualified and competent person. If used, any temporary electrical wiring and distributions will also be inspected. Inspection records/certificates will be kept. These will be made available at the request of an authorised officer.
5	One of the following protective measures shall be used for all socket-outlets which may be used for the connection for lighting, video or sound amplification equipment and display models: a) Each socket-outlet circuit shall be protected by a residual current device having a rated residual operating current not exceeding 30mA. or b) Each individual socket-outlet shall be protected by an integral residual current device having a rated residual operating current not exceeding 30mA. The current operation of all residual current devices shall be checked regularly by pressing the test button. If the device does not switch off the supply, an electrical contractor should be consulted. At the same time action should be taken to prohibit the use of socket outlets associated with a faulty residual current device.
	Public Safety 6 :- General Housekeeping
6	A written spillage policy will be kept to ensure spillages are dealt with in a timely and safe manner
	Public Safety 7 :- Refreshments
	Public Safety 8 :- First Aid
7	A suitably trained first aider or appointed person will be provided at all times when the premises are open.
8	Adequate and appropriate first aid equipment and materials will be available on the

	premises.
	Public Safety 9 :- Special Effects
9	Where strobes, lasers, smoke machines or any other special effects equipment may be used, a written health and safety policy covering all aspects of their use will be provided, and staff will be appropriately trained.
10	No strobes, lasers, smoke machines or any other special effects, will be used at the premises unless there is a clearly displayed warning at the entrance to the premises that such equipment is in use.

The health and safety service is satisfied that the proposed measures are not adequately dealt with by other legislation.

By signing the declaration enclosed overleaf the applicant agrees to incorporate the proposed measures as conditions within the operating schedule for the said premises.

Upon the satisfactory completion of the declaration the health and safety service will provide notice to the licensing authority that our representation is withdrawn in accordance with schedule 10(a) of the Licensing Act 2003 (Hearings) Regulations 2005.

Signed:

Dated: 2/8/12