

Population Indicators

Overarching Indicator			
	Leeds	Deprived	
* Life Expectancy at Birth - Males	↑ 78.4	↑ 73.8	
* Life Expectancy at Birth - Females	↑ 81.7	↓ 77.0	

1. Improving the health and wellbeing of children and young people:			
* Infant mortality rate per 1000 births	↑ 4.0	↑ 5.0	
Obesity % excess weight in 4-5 year olds	↑ 23.4%	↑ 27.2%	
Obesity % excess weight in 10-11 year olds	↑ 35.8%	↑ 42.0%	
Reception: Prevalence of obesity (including severe obesity)	↑ 9.8%	#	
Year 6: Prevalence of obesity (including severe obesity)	↑ 21.0%	#	

2. Improving the health and wellbeing of adults and preventing early death:			
Rate of early death from CVD per 100,000	↓ 77.1	↓ 122.0	
CVD Mortality, all ages, DSR per 100,000	↓ 250.6	↓ 325.3	
Respiratory mortality, all ages, DSR per 100,000	↑ 87.3	↓ 146.2	
Rate of early death under 75 from cancer per 100,000	↓ 138.0	↑ 202.4	
Alcoholic liver disease mortality, under 75, DSR per 100,000	↓ 10.2	↑ 17.4	
PYLL avoidable causes (DSR per 100,000)	↑ 5,692.2	↑ 9,525.5	
* % Adults over 18 that smoke	↓ 17.8%	↓ 28.0%	
* Excess weight in adults % of Adults who have a BMI of over 30	↑ 22.8%	↑ 27.1%	
Percentage of physically inactive adults (aged 19+, <30 moderate intensity minutes per week)	↓ 17.8	#	

3. Protecting health and wellbeing (*protect the health of the local population):			
Excess winter deaths	↓ 20.6	↓ 22.9	
Suicide Rate (persons)	↑ 11.2	↑ 17.2	

4. Support NHS to provide effective and equitable health care service:			
Public Health advice to NHS Commissioners – Leeds CCG's			

5. Developing community health capacity and the wider public health workforce:			
- Training and development programmes			
- Local community health development			
- City wide health determinants			

6. Improving the use of Public Health Intelligence in decision making by organisations and the public:			
- Health profiling			
- Needs assessment			
- Social marketing and insight			

Notes

For the majority of these indicators a reduction represents an improvement. Notable exceptions are Life Expectancy at Birth, service / health intervention uptake and successful completion / continuation

* Indicators marked with an asterisk have been updated

Deprived Leeds data unavailable due to no access to latest data / data quality issue

Significance of change since previous period:

Statistically significant, direction is positive	↑	↓
Statistically significant, direction is negative	↓	↑
Not statistically significant, direction is negative	↓	↓
Unable to test, direction is positive	↑	↑
Unable to test, direction is negative	↓	↓

1 Improving the health and wellbeing of children and young people:

	Leeds	Deprived
Best start - number of under 2s taken into care	↑ 123.0	↓ 74.0
Breast feeding % initiation	↑ 73.7%	↑ 67.5%
Breast feeding % maintenance at 6-8 weeks	↑ 48.7%	↓ 43.3%
* Alcohol – rate of admissions of under 18’s to hospital for alcohol related problems (per 100,000)	↓ 27.8	#

5. Developing community health capacity and the wider public health workforce:

- Training and development programmes
- Local community health development
- City wide health determinants

2 Improving the health and wellbeing of adults and preventing early death:

* NHS Health Check Completion Rate (of those offered - rolling year)	↑ 61.6%	#
* NHS Health Check Invitations (rolling year)	↓ 10,301	#
* Number of people referred or signposted to stop smoking services from GP practices'	↓ 421	↓ 205.0
Rate of alcohol related admissions to hospital per 100,000	↑ 649.0	#
* Successful completions of drug dependency treatment (rolling year)	↑ 503.0	#
* Successful completions of alcohol dependency treatment (rolling year)	↑ 861.0	#
* Recorded diabetes type 1 and 2 (per 100,000)	↓ 6,528.1	↓ 9,258.1

6. Improving the use of Public Health Intelligence in decision making by organisations and the public:

- Health profiling
- Needs assessment
- Social marketing and insight

3 Protecting health and wellbeing (*protect the health of the local population):

* HIV late diagnosis: % 15+ or above newly diagnosed with HIV with a CD4 count < 350 cells per mm3	↑ 57.1	#
* Chlamydia detection rate (15-24 year olds) (per 100,000)	↑ 3,946.4	#
* Uptake of Long-acting reversible contraceptives (LARC) (per 1,000)	↑ 61.6	#
Emergency Admissions from Intentional Self-Harm (DSR per 100,000)	↓ 227.0	#

4. Support NHS to provide effective and equitable health care service:

Public Health advice to NHS Commissioners – Leeds CCG’s

Notes

For the majority of these indicators a reduction represents an improvement. Notable exceptions are Life Expectancy at Birth, service / health intervention uptake and successful completion / continuation

* Indicators marked with an asterisk have been updated

Deprived Leeds data unavailable due to no access to latest data / data quality issue

Significance of change since previous period:

Statistically significant, direction is positive	↑	↓
Statistically significant, direction is negative	↓	↑
Not statistically significant, direction is positive	↑	↓
Not statistically significant, direction is negative	↓	↑
Unable to test, direction is positive	↑	↓
Unable to test, direction is negative	↓	↑

Population Indicators		Leeds	Deprived Leeds	Latest period	Previous period Leeds	Previous period Deprived Leeds	Previous period	An improving direction is an	
Overarching Indicator		Updated March 2021							
*	Life Expectancy at Birth - Males	↑ 78.4	↑ 73.8	2017 - 2019	78.1	73.2	2016 - 2018	increase	
*	Life Expectancy at Birth - Females	↑ 81.7	↓ 77.0	2017 - 2019	81.5	77.1	2016 - 2018	increase	
1 Improving the health and wellbeing of children and young people:									
*	Infant mortality rate per 1000 births	↑ 4.0	↑ 5.0	2017-2019	3.9	4.8	2016-2018	decrease	
	Obesity % excess weight in 4-5 year olds	↑ 23.4%	↑ 27.2%	2018/19	22.4%	25.7%	2017/18	decrease	
	Obesity % excess weight in 10-11 year olds	↑ 35.8%	↑ 42.0%	2018/19	34.0%	39.9%	2017/18	decrease	
	Reception: Prevalence of Obesity (including severe obesity)	↑ 9.8%	→ #	2018/19	9.5%	#	2017/18	decrease	
	Year 6: Prevalence of Obesity (including severe obesity)	↑ 21.0%	→ #	2018/19	19.9%	#	2017/18	decrease	
2 Improving the health and wellbeing of adults and preventing early death:									
	Rate of early death from CVD per 100,000	↓ 77.1	↓ 122.0	2017-2019	82.1	137.8	2016 - 2018	decrease	
	CVD Mortality, all ages, DSR per 100,000	↓ 250.6	↓ 325.3	2017 - 2019	262.2	349.2	2016 - 2018	decrease	
	Respiratory mortality, all ages, DSR per 100,000	↑ 87.3	↓ 146.2	2017 - 2019	87.0	146.8	2016 - 2018	decrease	
	Rate of early death under 75 from cancer per 100,000	↓ 138.0	↑ 202.4	2017 - 2019	140.1	200.0	2016 - 2018	decrease	
	Alcoholic liver disease mortality, under 75, DSR per 100,000	↓ 10.2	↑ 17.4	2017 - 2019	10.3	16.4	2016 - 2018	decrease	
	PYLL avoidable causes (DSR per 100,000)	↑ 5,692.2	↑ 9,525.5	2017 - 2019	5,612.7	9,451.6	2016-2018	decrease	
*	% Adults over 18 that smoke	↓ 17.8%	↓ 28.0%	Q3 2020/21	18.2%	29.1%	Q2 2020/21	decrease	
*	Excess weight in adults % of Adults who have a BMI of over 30	↑ 22.8%	↑ 27.1%	Q3 2020/21	22.7%	27.1%	Q2 2020/21	decrease	
	Percentage of physically inactive adults (aged 19+, <30 moderate intensity minutes per week)	↓ 17.8	→ #	2018/19	20.6	#	2017/18	decrease	
3 Protecting health and wellbeing (*protect the health of the local population):									
	Excess winter deaths	↓ 20.6	↓ 22.9	2018/19	29.3	27.9	2017/18	decrease	
	Suicide Rate (persons)	↑ 11.2	↑ 17.2	2017-19	9.7	13.5	2016-18	decrease	

Operational Indicators		Leeds	Deprived Leeds	Latest period	Previous period Leeds	Previous period Deprived Leeds	Previous period	An improving direction is an
1 Improving the health and wellbeing of children and young people:								
	Best start - number of under 2s taken into care	↑ 123.0	↓ 74.0	2019/20	121.0	75.0	2018/19	decrease
	Breast feeding % initiation	↑ 73.7%	↑ 67.5%	2018/19	73.0%	65.5%	2017/18	increase
	Breast feeding % maintenance at 6-8 weeks	↑ 48.7%	↓ 43.3%	2018/19	48.4%	44.0%	2017/18	decrease
*	Alcohol – rate of admissions of under 18's to hospital for alcohol related problems (per 100,000)	↓ 27.8	→ #	2017/18 - 19/20	34.1	#	2016/17 - 18/19	decrease
2 Improving the health and wellbeing of adults and preventing early death:								
*	NHS Health Check Completion Rate (of those offered - rolling year)	↑ 61.6%	→ #	Q3 2020/21	58.7%	#	Q2 2020/21	increase
*	NHS Health Check Invitations (rolling year)	↓ 10,301	→ #	Q3 2020/21	17,321	#	Q2 2020/21	increase
*	Number of people referred or signposted to stop smoking services from GP practices'	↓ 421	↓ 205.0	Q3 2020/21	1,345	798.0	Q2 2020/21	increase
	Rate of alcohol related admissions to hospital per 100,000	↑ 649.0	→ #	2018/19	646.4	#	2017/18	decrease
*	Successful completions of drug dependency treatment (rolling year)	↑ 503.0	→ #	Q3 2020/21	485.0	#	Q2 2020/21	increase
*	Successful completions of alcohol dependency treatment (rolling year)	↑ 861.0	→ #	Q3 2020/21	834.0	#	Q2 2020/21	increase
*	Recorded diabetes type 1 and 2 (per 100,000)	↓ 6,528.1	↓ 9,258.1	Q3 2020/21	6,537.7	9,281.0	Q2 2020/21	increase
3 Protecting health and wellbeing (*protect the health of the local population):								
*	HIV late diagnosis: % 15+ or above newly diagnosed with HIV with a CD4 count < 350 cells per mm3	↑ 57.1	→ #	2017 - 19	52.5	#	2016-18	decrease
*	Chlamydia detection rate (15-24 year olds) (per 100,000)	↑ 3,946.4	→ #	2019	3,434.8	#	2018	increase
*	Uptake of Long-acting reversible contraceptives (LARC) (per 1,000)	↑ 61.6	→ #	2019	59.2	#	2018	increase
	Emergency Admissions from Intentional Self-Harm (DSR per 100,000)	↓ 227.0	→ #	2018-19	240.9	380.1	2016-17	decrease

Notes

* Indicators marked with an asterisk have been updated for March 2021

"Deprived Leeds" is the population of Leeds living in an area ranking in the 10% most deprived nationally

Deprived Leeds data is unavailable due to no access to latest data / data quality issue

Population' and 'Operational' indicators are defined as follows. Population level indicators are health outcomes (i.e. Increased life expectancy, Reduced premature mortality, People living healthier lifestyles). Operational indicators are measures of service delivery or health intervention, and the outcome of that service delivery or health intervention (i.e. breast feeding initiation, and continuation at 6-8 wks, health checks and numbers on diabetes register, completion of alcohol dependency treatment and admission to hospital for alcohol harm). Please note that providing a Leeds Deprived split is not possible for all indicators.


Population Indicators

Updated March 2021


Life Expectancy at Birth - Males




Life Expectancy at Birth - Females




Infant mortality rate per 1000 births



% Adults over 18 that smoke




Excess weight in adults % of Adults who have a BMI of over 30




Operational Indicators - March 2021


Alcohol – rate of admissions of under 18's to hospital for alcohol related problems (per 100,000)




Uptake of NHS Health Checks




Number of people referred or signposted to stop smoking services from GP practices'




Successful completions of drug dependency treatment (rolling year)




Successful completions of alcohol dependency treatment (rolling year)




Recorded diabetes type 1 and 2



HIV late diagnosis: % 15+ or above newly diagnosed with HIV with a CD4 count < 350 cells per mm3



Chlamydia detection rate (15-24 year olds) (per 100,000)



Uptake of Long-acting reversible contraceptives (LARC) (per 1,000)

