

DO NOT SCALE. IF IN DOUBT ASK. DO NOT INTERROGATE CAD BASE

- NOTES:
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS DRAWINGS & ENGINEERING SPECS
 2. REFER TO DRAWING P14743-520 FOR S278 LAYOUT DETAILS
 3. REFER TO DRAWING P14743-521 FOR HIGHWAY CONSTRUCTION DETAILS.

- KEY
- HEEL KERB - E1
 - HALF BATTER KERB - K1
 - DROP KERB - K4
 - TRANSITION KERB

PLEASE REFER TO DRAWING P14743-521 FOR KERB DETAILS

- CDM NOTES
1. IF SPECIFIED MASONRY UNITS HAVE A MASS GREATER THAN 20kg, EITHER A 2 MAN LIFT OR MECHANICAL LIFTING EQUIPMENT IS REQUIRED.
 2. SITE ACCESS/EGRESS ONTO RESIDENTIAL STREET.
 3. PRODUCTION OF NOISE, FUMES, DUST, VIBRATION, ETC. IN RESIDENTIAL AREA
 4. ENCOUNTERING COAL SEAMS DURING FOUNDATION EXCAVATIONS - RISK OF IGNITING COAL.
 5. FOOTINGS & DRAINAGE EXCAVATIONS IN ROCK FOR PLOTS 1-4, ANTICIPATED.
 6. EXISTING SERVICE ROUTES POSSIBLE ACROSS SITE.
 7. HANDLING OF LARGE DIAMETER PCC SEWER PIPES & MANHOLE RINGS REQUIRED.
- REFER TO DESIGNERS HAZARD ASSESSMENTS FOR FURTHER DETAILS.

REV.	DATE	REVISION	BY:	CHK.
-	-	FIRST ISSUE	PH	NB
-	-	-	-	-

Leeds Federated Housing Association
 Proposed Residential Development at
 Westminster Crescent, Halton Leeds (Phase 2)

Section 278 Kerbing Plan

Goodson Associates
 Consulting Civil, Structural & Transportation Engineers
 Fountain House, 4 South Parade,
 Leeds, LS1 5QX
 Also at Aberdeen, Edinburgh and Glasgow.

Tel: +44 (0)113 369 7925
 Fax: -
 Email: leeds@goodsons.com
 Web: www.goodsons.com

TENDER		
DATE CREATED: Aug2021	SCALE: 1:200	@ AI
CONTRACT No: P14743	DRAWING No: 522	REV: -

